Shaver





9160XL

QUASAR

Philips Domestic Appliances and Personal Care



PRODUCT INFORMATION

General:

- Rechargeably / Mains operation
- World-wide automatic voltage selection
- Electronic on/off button
- Washable

Safety information

- This product meets the requirements regarding interference suppression on radio and TV.
- After the product has been repaired, it should function properly and has to meet the safety requirements as officially laid down at this moment.

TECHNICAL INFORMATION

- Voltage
- Motor voltage
- Shaving heads
- Battery
- Display
- SAP coding
- : 3,6 Volt : HQ9 - 4222 036 11150

: 100 - 240 Volt / 50- 60 Hz

- : Li-ion
- : 7 LED's
- : 9160XL

Shaving Performance:

If customers complain about poor shaving performance of the triple-track shaving heads, replacing the driving unit is recommended.

Published by Philips Domestic Appliances and Personal Care

Printed in the Netherlands

© Copyright reserved

Subject to modification




DISASSEMBLY- AND RE-ASSEMBLY ADVICE


9160XL

Disassembly:

- Remove shaving unit, to prevent damaging during repairing.
- Remove the two screws (\mathbf{A}) on the backside of the shaver.
- Remove the three screws (B) from the innerhousing.
- Remove the mains from the motor by turning and pulling the wires out of the motor.
- Remove the two screws (C) for the hairchamber.



- Bent the sideflaps outside and remove the hairchamber. Think by placing this sideflaps on the nocks.
- Remove driving unit.



- Remove the trimmer from the hairchamber by pushing the black nock by a small screwdriver inside the spring, to the inside.

REPAIR INSTRUCTION

- No specific issues

OPTIONAL (accessories)

- Stand : 4222 036 11020
- Car cord : 4222 036 08920


PARTS LIST


Pos	Service code	Description
1	4222 036 11350	Housing shell assy
2	4222 036 11020	Stand
3	4222 036 05160	Power plug NOR
4	4222 036 11100	Protection cap Quasar
5	4222 036 11110	Bracket assy
6	4222 036 02770	Brush
7	4222 036 11150	Shaving head 9-series
8	4222 036 11160	Power supply
9	4222 036 11220	Holder assy
10	4222 036 11230	Contour following pin
11	4222 036 11400	Sidegrip assy
12	4222 036 11250	Driving unit 3,6 V


Pos	Service code	Description
13	4222 036 11270	Trimmer assy
14	4222 036 11280	Spacer Li-ion A
15	4222 036 11290	Li-ion battery
16	4222 036 11300	Inlet connector BB
17	4222 036 11310	Cover assy
18	4222 036 11450	Cover shell
А	4822 502 14545	Screw
В	4222 036 11480	Screw (BBM)
С	4222 036 11490	Screw
	4222 036 11500	Pouch
	4222 036 10860	Clock


EXPLODED VIEW


9160XL





























000

Ç

-18

-16